

# FortiGate/FortiWiFi® 60E Series

FortiGate 60E, 60E-POE, FortiWiFi 60E, FortiGate 61E, and FortiWiFi 61E

Secure SD-WAN  
Unified Threat Management



The FortiGate/FortiWiFi 60E series provides a fast and secure SD-WAN solution in a compact fanless desktop form factor for enterprise branch offices and mid-sized businesses. Protects against cyber threats with system-on-a-chip acceleration and industry-leading secure SD-WAN in a simple, affordable, and easy to deploy solution. Fortinet's Security-Driven Networking securely integrates with the new generation of cybersecurity solutions.

## Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevents and detects against known attacks using continuous threat intelligence from AI-powered FortiGuard Labs security services
- Proactively blocks unknown sophisticated attacks in real-time with the Fortinet Security Fabric integrated AI-powered FortiSandbox

## Performance

- Engineered for Innovation using Fortinet's purpose-built security processors (SPU) to deliver the industry's best threat protection performance and ultra-low latency
- Provides industry-leading performance and protection for SSL encrypted traffic including the first firewall vendor to provide TLS 1.3 deep inspection

## Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin, and AV Comparatives

## Networking

- Application aware routing with in-built SD-WAN capabilities to achieve consistent application performance and the best user experience
- Built-in advanced routing capabilities to deliver high performance with encrypted IPSEC tunnels at scale

## Management

- Includes a management console that is effective and simple to use, which provides a comprehensive network of automation & visibility
- Provides Zero Touch Provisioning leveraging Single Pane of Glass Management powered by the Fabric Management Center
- Predefined compliance checklists analyze the deployment and highlight best practices to improve the overall security posture

## Security Fabric

- Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing, and automated remediation
- Automatically builds Network Topology visualizations which discover IoT devices and provide complete visibility into Fortinet and Fabric-ready partner products


| Firewall      | IPS             | NGFW            | Threat Protection | Interfaces   |
|---------------|-----------------|-----------------|-------------------|--|
| <b>3 Gbps</b> | <b>400 Mbps</b> | <b>250 Mbps</b> | <b>200 Mbps</b>   | Multiple GE RJ45   WiFi variants  <br>Variants with internal storage  <br>Variants with PoE/+ interfaces |

## Deployment



### Next Generation Firewall (NGFW)

- Reduce the complexity and maximize your ROI by integrating threat protection security capabilities into a single high-performance network security appliance, powered by Fortinet's Security Processing Unit (SPU)
- Full visibility into users, devices, applications across the entire attack surface and consistent security policy enforcement irrespective of asset location
- Protect against network exploitable vulnerabilities with Industry-validated IPS security effectiveness, low latency and optimized network performance
- Automatically block threats on decrypted traffic using the Industry's highest SSL inspection performance, including the latest TLS 1.3 standard with mandated ciphers
- Proactively block newly discovered sophisticated attacks in real-time with AI-powered FortiGuard Labs and advanced threat protection services included in the Fortinet Security Fabric




FortiWiFi 60E deployment in Small Office (NGFW)



### Secure SD-WAN


- Consistent business application performance with accurate detection, dynamic WAN path steering and optimization
- Multi-cloud access for faster SaaS adoption with end-to-end optimization
- Simplification with zero touch deployment and centralized management with auto-provisioning, analytics and reporting
- Strong security posture with next generation firewall and real-time threat protection



FortiGate 60E deployment in Enterprise Branch (Secure SD-WAN)

## Hardware


### FortiGate/FortiWiFi 60E/61E



### Interfaces

1. USB Port
2. Console Port
3. 2x GE RJ45 WAN Ports
4. 1x GE RJ45 DMZ Port
5. 7x GE RJ45 Internal Ports

### FortiGate 60E-POE



### Interfaces

1. USB Port
2. Console Port
3. 8x GE RJ45 PoE/+ Ports
4. 2x GE RJ45 WAN Ports

### Powered by SPU SoC3

- Combines a RISC-based CPU with Fortinet's proprietary SPU content and network processors for unmatched performance
- Simplifies appliance design and enables breakthrough performance for smaller networks
- Supports firewall acceleration across all packet sizes for maximum throughput
- Delivers accelerated UTM content processing for superior performance and protection
- Accelerates VPN performance for high speed and secure remote access



### 3G/4G WAN Connectivity

The FortiGate/FortiWiFi 60E Series includes a USB port that allows you to plug in a compatible third-party 3G/4G USB modem, providing additional WAN connectivity or a redundant link for maximum reliability.

### Compact and Reliable Form Factor

Designed for small environments, you can place it on a desktop or wall-mount it. It is small, lightweight yet highly reliable with superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

### Superior Wireless Coverage


A built-in dual-band, dual-stream access point with internal antennas is integrated on the FortiWiFi 60E and provides speedy 802.11ac wireless access. The dual-band chipset addresses the PCI-DSS compliance requirement for rogue AP wireless scanning, providing maximum protection for regulated environments.

## Fortinet Security Fabric

### Security Fabric

The Security Fabric is the cybersecurity platform that enables digital innovations. It delivers broad visibility of the entire attack surface to better manage risk. Its unified and integrated solution reduces the complexity of supporting multiple-point products, while automated workflows increase operational speeds and reduce response times across the Fortinet deployment ecosystem. The Fortinet Security Fabric covers the following key areas under a single management center:

- **Security-Driven Networking** that secures, accelerates, and unifies the network and user experience
- **Zero Trust Network Access** that identifies and secures users and devices in real-time, on and off of the network
- **Dynamic Cloud Security** that protects and controls cloud infrastructures and applications
- **AI-Driven Security Operations** that automatically prevents, detects, isolates, and responds to cyber threat



### FortiOS

FortiGates are the foundation of the Fortinet Security Fabric—the core is FortiOS. All security and networking capabilities across the entire FortiGate platform are controlled with one intuitive operating system. FortiOS reduces complexity, costs, and response times by truly consolidating next-generation security products and services into one platform.

- A truly consolidated platform with a single OS and pane-of-glass for across the entire digital attack surface.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Leverage the latest technologies such as deception-based security.

- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings in addition to true TLS 1.3 support.
- Automatically prevent, detect, and mitigate advanced attacks within minutes with an integrated AI-driven security and advanced threat protection.
- Improve and unify the user experience with innovative SD-WAN capabilities with the ability to detect, contain, and isolate threats with automated segmentation.
- Utilize SPU hardware acceleration to boost network security performance.

## Services



### FortiGuard™ Security Services

FortiGuard Labs offer real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



### FortiCare™ Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to [forti.net/fortiguard](https://forti.net/fortiguard) and [forti.net/forticare](https://forti.net/forticare)

## Specifications

|  | FORTIGATE 60E    | FORTIGATE 60E-POE | FORTIWIFI 60E                                 | FORTIGATE 61E    | FORTIWIFI 61E     |
|--|------------------|-------------------|---|------------------|-------------------|
| Hardware Specifications  |                  |                   |   |                  |                   |
| GE RJ45 WAN / DMZ Ports  | 2 / 1            | 2                 | 2 / 1   | 2 / 1            |                   |
| GE RJ45 Internal Ports   | 7                | —                 | 7   | 7                |                   |
| GE RJ45 PoE/+ Ports  | —                | 8                 | —   | —                |                   |
| Wireless Interface   | —                | —                 | 802.11 a/b/g/n/ac                             | —                | 802.11 a/b/g/n/ac |
| USB Ports  | 1                | 1                 | 1   | 1                |                   |
| Console (RJ45)   | 1                | 1                 | 1   | 1                |                   |
| Internal Storage   | —                | —                 | —   | 1x 128 GB SSD    |                   |
| System Performance — Enterprise Traffic Mix                      |                  |                   |   |                  |                   |
| IPS Throughput <sup>2</sup>                                      |                  |                   | 400 Mbps                                      |                  |                   |
| NGFW Throughput <sup>2,4</sup>                                   |                  |                   | 250 Mbps                                      |                  |                   |
| Threat Protection Throughput <sup>2,5</sup>                      |                  |                   | 200 Mbps                                      |                  |                   |
| System Performance   |                  |                   |   |                  |                   |
| Firewall Throughput (1518 / 512 / 64 byte UDP packets)           |                  |                   | 3 / 3 / 3 Gbps                                |                  |                   |
| Firewall Latency (64 byte UDP packets)                           |                  |                   | 3 μs  |                  |                   |
| Firewall Throughput (Packets Per Second)                         |                  |                   | 4.5 Mpps                                      |                  |                   |
| Concurrent Sessions (TCP)  |                  |                   | 1.3 Million                                   |                  |                   |
| New Sessions/Second (TCP)  |                  |                   | 30,000  |                  |                   |
| Firewall Policies  |                  |                   | 5,000   |                  |                   |
| IPsec VPN Throughput (512 byte) <sup>1</sup>                     |                  |                   | 2 Gbps  |                  |                   |
| Gateway-to-Gateway IPsec VPN Tunnels                             |                  |                   | 200   |                  |                   |
| Client-to-Gateway IPsec VPN Tunnels                              |                  |                   | 500   |                  |                   |
| SSL-VPN Throughput   |                  |                   | 150 Mbps                                      |                  |                   |
| Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)      |                  |                   | 200   |                  |                   |
| SSL Inspection Throughput (IPS, avg. HTTPS) <sup>3</sup>         |                  |                   | 135 Mbps                                      |                  |                   |
| SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup>                |                  |                   | 135   |                  |                   |
| SSL Inspection Concurrent Session (IPS, avg. HTTPS) <sup>3</sup> |                  |                   | 75,000  |                  |                   |
| Application Control Throughput (HTTP 64K) <sup>2</sup>           |                  |                   | 650 Mbps                                      |                  |                   |
| CAPWAP Throughput (HTTP 64K)                                     |                  |                   | 890 Mbps                                      |                  |                   |
| Virtual Domains (Default / Maximum)                              |                  |                   | 10 / 10                                       |                  |                   |
| Maximum Number of FortiSwitches Supported                        |                  |                   | 16  |                  |                   |
| Maximum Number of FortiAPs (Total / Tunnel Mode)                 |                  |                   | 30 / 10                                       |                  |                   |
| Maximum Number of FortiTokens                                    |                  |                   | 500   |                  |                   |
| High Availability Configurations                                 |                  |                   | Active / Active, Active / Passive, Clustering |                  |                   |
| Dimensions   |                  |                   |   |                  |                   |
| Height x Width x Length (inches)                                 |                  |                   | 1.5 x 8.5 x 6.3                               |                  |                   |
| Height x Width x Length (mm)                                     |                  |                   | 38 x 216 x 160                                |                  |                   |
| Weight   | 1.9 lbs (0.9 kg) | 2.2 lbs (1.0 kg)  | 1.9 lbs (0.9 kg)                              | 1.9 lbs (0.9 kg) | 1.9 lbs (0.9 kg)  |
| Form Factor  |                  |                   | Desktop                                       |                  |                   |

Note: All performance values are "up to" and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.

2. IPS (Enterprise Mix), Application Control, NGFW, and Threat Protection are measured with Logging enabled.

3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

4. NGFW performance is measured with Firewall, IPS, and Application Control enabled.

5. Threat Protection performance is measured with Firewall, IPS, Application Control, and Malware Protection enabled.

Specifications

|  | FORTIGATE 60E   | FORTIGATE 60E-POE | FORTIWIFI 60E                     | FORTIGATE 61E                     | FORTIWIFI 61E                     |
|--|---|-------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Operating Environment and Certifications |   |                   |                                   |                                   |                                   |
| Input Rating                             | 12Vdc, 3A   |                   |                                   |                                   |                                   |
| Power Required                           | Powered by External DC Power Adapter, 100–240V AC, 50–60 Hz |                   |                                   |                                   |                                   |
| Maximum Current                          | 115V AC / 0.7 A,<br>230V AC / 0.48 A                        | 0.8A              | 115V AC / 0.9A,<br>230V AC / 0.6A | 115V AC / 0.9A,<br>230V AC / 0.6A | 115V AC / 0.9A,<br>230V AC / 0.6A |
| Total Available PoE Power Budget*        | N/A   | 75 W              | N/A                               | N/A                               | N/A                               |
| Power Consumption (Average / Maximum)    | 11.7 / 14 W   | 20 / 95 W         | 12.6 / 15.2 W                     | 11.9 / 14.3 W                     | 13 / 16 W                         |
| Heat Dissipation                         | 40 BTU/h  | 324 BTU/h         | 52 BTU/h                          | 49 BTU/h                          | 55 BTU/h                          |
| Operating Temperature                    | 32–104°F (0–40°C)   |                   |                                   |                                   |                                   |
| Storage Temperature                      | -31–158°F (-35–70°C)  |                   |                                   |                                   |                                   |
| Humidity                                 | 10–90% non-condensing                                       |                   |                                   |                                   |                                   |
| Noise Level                              | Fanless 0 dBA   |                   |                                   |                                   |                                   |
| Operating Altitude                       | Up to 7,400 ft (2,250 m)                                    |                   |                                   |                                   |                                   |
| Compliance                               | FCC Part 15 Class B, C-Tick, VCCI, CE, UL/cUL, CB           |                   |                                   |                                   |                                   |
| Certifications                           | ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN         |                   |                                   |                                   |                                   |

\* Maximum loading on each PoE/+ port is 30 W (802.3at).

Order Information

| Product           | SKU        | Description   |
|-------------------|------------|---|
| FortiGate 60E     | FG-60E     | 10x GE RJ45 ports (including 7x Internal ports, 2x WAN ports, 1x DMZ port). Maximum managed FortiAPs (Total / Tunnel) 30 / 10.  |
| FortiGate 60E-POE | FG-60E-POE | 10x GE RJ45 ports (including 8x PoE/PoE+ ports, 2x WAN ports) Maximum managed FortiAPs (Total / Tunnel) 30 / 10.  |
| FortiWiFi 60E     | FWF-60E    | 10x GE RJ45 ports (including 7x Internal ports, 2x WAN ports, 1x DMZ port), Wireless (802.11a/b/g/n/ac). Maximum managed FortiAPs (Total / Tunnel) 30 / 10.                             |
| FortiGate 61E     | FG-61E     | 10x GE RJ45 ports (including 7x Internal ports, 2x WAN ports, 1x DMZ port), 128 GB SSD onboard storage. Maximum managed FortiAPs (Total / Tunnel) 30 / 10.                              |
| FortiWiFi 61E     | FWF-61E    | 10x GE RJ45 ports (including 7x Internal ports, 2x WAN ports, 1x DMZ port), Wireless (802.11a/b/g/n/ac), 128 GB SSD onboard storage. Maximum managed FortiAPs (Total / Tunnel) 30 / 10. |

Bundles



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

| Bundles   | 360 Protection   | Enterprise Protection | UTM  | Threat Protection |
|---|------------------|-----------------------|------|-------------------|
| FortiCare   | ASE <sup>1</sup> | 24x7                  | 24x7 | 24x7              |
| FortiGuard App Control Service  | •                | •                     | •    | •                 |
| FortiGuard IPS Service  | •                | •                     | •    | •                 |
| FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service | •                | •                     | •    | •                 |
| FortiGuard Web Filtering Service  | •                | •                     | •    |                   |
| FortiGuard Antispam Service   | •                | •                     | •    |                   |
| FortiGuard Security Rating Service  | •                | •                     |      |                   |
| FortiGuard Industrial Service   | •                | •                     |      |                   |
| FortiCASB SaaS-only Service   | •                | •                     |      |                   |
| FortiConverter Service  | •                |                       |      |                   |
| SD-WAN Cloud Assisted Monitoring <sup>2</sup>   | •                |                       |      |                   |
| SD-WAN Overlay Controller VPN Service <sup>2</sup>  | •                |                       |      |                   |
| FortiAnalyzer Cloud <sup>2</sup>  | •                |                       |      |                   |
| FortiManager Cloud <sup>2</sup>   | •                |                       |      |                   |

1. 24x7 plus Advanced Services Ticket Handling    2. Available when running FortiOS 6.2 | FG-VMoS series does not include FortiCASB in its Enterprise and 360 protection bundles.

